

SolarFlask – Endless Energy, Enduring Security.

Introducing the SolarFlask – the end of power concerns for outdoor surveillance cameras. This innovative solar-powered security camera needs just one initial charge, harnessing cutting-edge solar panel technology for uninterrupted operation, truly embodying eco-friendly security. Installation is wire-free and simplified, capturing every detail with 2K high-definition color quality, day and night. The smart PIR sensor activates only upon motion detection, extending the life of the device. Perfectly suited for outdoor environments, SolarFlask offers you a more reliable and greener way to protect your home.

SolarFlask featuring an IPX3 rating, ensuring they excel in all conditions. Key features include a wire-free design, motion detection, two-way talk, and robust data security measures, all aimed at providing elegance, functionality, and security. Whether indoors or outdoors, choose these surveil-lance solutions for their blend of aesthetics, performance, and eco-conscious operation, ensuring peace of mind with their smart, user-friendly technology.

Features













IPX3

2K Resolution

2.4Ghz Wi-Fi Technology

120° Field of View

Color Night Vision Booster

2-Way Talk with Quick Response

IPX3 Weather Resistant

LJH10 ver:V1B81S





Effortless Security in High Definition

SolarFlask elevates outdoor surveillance to new heights with its all-weather HD monitoring capability. Equipped with 2K full-color night vision, it ensures every detail is captured with clarity, day or night. Beyond its advanced imaging technology, SolarFlask boasts a user-friendly experience thanks to its wire-free setup. Installation and maintenance are remarkably straightforward, making it a perfect fit for any outdoor setting. Whether facing the blazing sun or the pouring rain, SolarFlask provides reliable, high-definition security with minimal effort.

Eco-Conscious Security with SolarFlask

SolarFlask introduces a leap in home security with its solar-powered technology. By harnessing the sun's energy with a single charge, it offers continuous surveillance without the environmental impact. This eco-friendly approach not only ensures reliable protection for your home but also supports the planet by reducing your carbon footprint. With SolarFlask, embrace a sustainable and efficient way to keep your property safe.





Customize Security, Embracing Serenity

Stay alert with real-time motion detection - never miss a moment, be it your pet's playful antics, your family's memorable moments, or an unwelcome visitor. Bid farewell to false alarms with our advanced AI that intelligently distinguishes between humans, pets, and vehicles. Communicate freely with two-way audio, making sure your voice is heard even when you're miles away. Be prepared for the unexpected with a bright siren alarm ready to scare off any intruders when the PIR sensor detecting any suspicious people trying to commit a crime.



SolarFlask Solar-Powered Security Camera

Endless Energy, Enduring Security.

Product Specifications

Sensor

| Image Sensor | 1/3" CMOS | |
|---------------------|---------------|--|
| Sensor Resolution | 2К | |
| Optical | | |
| Lens Type | Fixed | |
| Focal Length | 2.8 mm | |
| Aperture | F1.6 | |
| Shutter Speed | 1/5~1/100000s | |
| Video | | |
| Video Resolution | 2560 x 1440 | |
| Aspect Ratio | 16:9 | |
| Frame Rate | 2K @ 15fps | |
| HDR | No | |
| White Balance | Auto | |
| Gain Control | Auto | |
| Noise Reduction | 3D Temporal | |
| Video Codec | H.265 H.264 | |
| Field of View (FOV) | 120° | |
| | | |

LEDs

White LED Infrared Wavelength Night Vision Range

Low Light

Color Niaht Vision Minimum Color Illumination Minimum B&W IR

Illumination Wi-Fi

WLAN Protocols Wi-Fi Frequency Bands

Audio Microphone

Two Way Talk

Audio Codec

Speaker

802.11.b/g/n/2.4 GHz 2.4 GHz 🗸 5 0 GHz

No

Yes

0 Lux

0 Lux

2*850 nm

30ft / 9m

Yes Yes Yes

G 711

Storage

Includes Capacity

Electrical

Power Charge Battery Capacity Full Recharge Time Working time

Solar Power

Solar Panel

Connectivity

Remote Viewing

General

Camera Dimensions $(W \times D \times H)$ Camera Weight Storage Temperature Storage Humidity Operating Temperature Operating Humidity Environmental Rating No storage Up to 256 GB MicroSD

5V 1000mA

4400mAh Rechargeable <7 5Hours > 90 days @ Standard Test

Home V App

3.22 × 1.3 × 2.67″ / 81.8 × 33 × 68 mm 0.4 lb / 181.6 g -4°F to 131°F / -20°C to 55°C ≤95% RH -4°F to 131°F / -20°C to 55°C ≤95% RH IPX3 (Indoor/Outdoor)





(1) Triggered 5 times every day, 3 in the day and 2 in the Night(infrared light are on)

What's Included



VIRTAVO

Camera



Solar

Panel



Ouick Start Guide



Camera Mount Holder



3M VHB Sticky Adhesive Pad

Disclaimers

1. For product compatibility, visit www.virtavo.com

2. Accuracy of Person, Vehicle, package, and Animal Detection will be influenced by multiple factors, such as the object's distance from the camera, the size of the object, and the height and angle of the camera. Night vision will also impact the accuracy of detection.

With Person, Vehicle and/or Animal Detection activated, Package Detection can not be enabled. To operate Package Detection you must disable Person, Vehicle and Animal Detection.
Color nighttime video typically switches to black & white IR night vision when there is not sufficient ambient light to ensure optimal low-light image quality.

5. Stated IR illumination range is based on ideal conditions in typical outdoor nighttime ambient lighting (up to 32 ft or 10 m in total darkness). Actual range and image clarity depends on installation location, viewing area and light reflection/absorption.

6. Controlling certain features in your security system requires a compatible smart device. Availability and performance of certain features and services are smart device dependent and may not be available in all areas or networks. For compatibility, features, instructions visit: www.virtavo.com.

7. Audio recording is disabled by default. Audio recording without consent is illegal in certain jurisdictions. Lorex Technology does not assume liability for any use of its product that fails to conform with local laws

8. Not intended for submersion in water. Installation in a sheltered area recommended.

9. Recording time may vary based on recording resolution & quality, lighting conditions and movement in the scene.

10. Requires a high-speed internet connection and a router (not included) for remote access. A minimum upload speed of 3 Mbps is required for the best video performance. For the latest list of supported apps and devices, please visit; www.virtavo.com/support

virtavo products are designed for consumer and business use only and not for US federal governments, federally-funded projects or contractors subject to NDAA.

All trademarks belong to their respective owners. No claim is made to the exclusive right to use the trademarks listed, other than the trademarks owned by . We reserve the right to change models, configurations or specifications without notice or liability. Product may not be exactly as shown

Apple, the Apple logo and AppleTV are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google, Google Home, Google Play, Google Play logo, Google Assistant logo and Chromecast are trademarks of Google Inc.

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. 2-way communication is not available via Alexa

LJH10 ver:V1B81S virtavo.com



Single Pack Information

LJH10 ver:V1B81S (2K SolarFlask Solar-Powered Security Camera)

| Package Type | Giftbox |
|-----------------------------------|---------------------------------------|
| Package Weight | 0.71lb / 320g |
| Package Dimensions (W × D × H) | 6.10 × 3.5 × 11″ / 155 × 92 × 49mm |
| Package Cube | 0.023cbf / 0.007cbm |



SINGLE PACK

PDQ Box Information

| Package Type | PDQ box | |
|-----------------------------------|---|--|
| QTY (PCS) | 48 | |
| Package Weight | 37.2lb / 16.9kg | |
| Package Dimensions (W × D × H) | 15 × 12.2 × 12.6 ″ / 382 × 312 × 320mm | |
| Package Cube | 0.04 cbm | |



Pallet Information

| Package Type | Pallet | | |
|-----------------------------------|---|------------|-------------|
| QTY (PCS) | 1728 | | |
| Package (ctns) | 36 | | |
| Package Weight | 1340 lb / 608 kg | | |
| Package Dimensions (W × D × H) | 40 × 33.3 × 45.3 ″ 1219 × 1016 × 138 | | |
| Package Cube | 1.65 cbm | | PALLET VIEW |
| | | 45.27 ft | 39.99 ft |
| | | FRONT VIEW | PLAN VIEW |

LJH10 ver:V1B81S virtavo.com

Great Neck, NY 1102 1, Office States © 2022 VIRTAVO As our product is subject to continuous improvement, Puwell Technology & subsidiaries reserve the right to modify product design, specifications & prices without notice and without incurring any obligation. E&OE. 20240409-2

